



The Application Specific Synthetic Papers

## Mineral Filled Calendered Polypropylene Film - White Matte

HOP-SYN® Synthetic Paper



### MANUFACTURING CAPABILITIES

THICKNESS	EMBOSSING	MASTER ROLL SPECS	CONVERTING
80-300 micron 3.15-11.8 mil	Matte/Matte Gloss/Matte	Up to 30" O.D. Up to 71" Widths	Slitting: Down to 1.5" Width Sheeting: Down to 1"x1"

### FEATURES

- Flexo, offset, and thermal transfer UV and Latex InkJet printable.
- Scoring not necessary to fold G1 grade Hop-Syn!
- Save yourself time when you have jobs that require folding!

### PHYSICAL PROPERTIES

Mil	Micron	Embossing	Gravity	Yield	Gloss	Whiteness	Light Transmission	Elongation	Tensile Strength	Roughness	Surface Resistivity	Wetting Tension
3.3	85	Matte/Matte	1.38	6050	2.9/3.8	92	15.7	540/130	3000/2100	20/40	10 <sup>^</sup> 11	48/48
4.2	107	Matte/Matte	1.38	4752	2.9/3.8	93	11.5	540/130	3000/2200	20/40	10 <sup>^</sup> 11	48/48
5.5	140	Matte/Matte	1.38	3628	2.9/3.8	93	7.7	540/130	3000/2300	20/40	10 <sup>^</sup> 11	48/48
7.5	191	Matte/Matte	1.38	2660	2.9/3.8	93	6.2	540/130	3000/2400	20/40	10 <sup>^</sup> 11	48/48



1251 Valley Brook Ave. Lyndhurst, NJ 07071 • Tel: 1-201-438-6200 • Fax: 1- 201-438-3833 • [www.hopindustries.com](http://www.hopindustries.com)